ineo 4750

monochrome | 47 ppm

The benefits
of a high-end
office device

For office users who want advanced functionality, high productivity, reassuring data security and eco-friendliness from an A4 office device the ineo 4750 from DEVELOP is the ideal solution. Whatever your business or industry, this monochrome multifunctional device will meet the document needs of all small businesses and up to mid-sized work-groups. Moreover, the numerous features common to this A4 device and DEVELOP's A3 systems means you will instantly feel at home when operating any of these devices.

Intuitively easy to use

As the IT infrastructure in many offices gets increasingly complex, you'll find the intuitive, user-friendly operating concept of the ineo 4750 all the more enjoyable. Its self-explanatory operability, which is common to all DEVELOP's A4 and A3 devices, minimises initial training, eliminates the frustrating experiences many office users have with hard-to-operate multifunctional devices, and makes such routine office jobs as printing, copying, scanning and faxing quite simply more enjoyable. This office device's ease of use starts with its large 7-inch colour screen, which tilts to two heights to suit different users' needs. Its operating concept employs multi-touch gestures such as the tapping and flick scrolling you'll be familiar with from your smartphone. And last but not least, you'll find the operating panel well structured and self-explanatory. That's what we mean by intuitive ease of use.

Advanced functionality for improved productivity

If you want a high-end A4 monochrome device, the ineo 4750 is most definitely the right solution. The standard configuration already includes highly useful features such as a reverse automatic document feeder (45 images per minute in b/w and 30 colour), a 650-sheet paper capacity (extendable to 2,300 via optional cassettes), a PCL and PostScript print controller, time-saving duplex printing and copying, 2 GB of memory and a 320 GB hard disk. Optional extras include a stapling function, barcode printing and Unicode font printing. The benefit you enjoy from all this high-end functionality is quite simply improved productivity in routine document tasks.

LK-106
Barcode fonts

SX-BR-4600
Wireless LAN

EK-P04
Interface cable
for CSRC modem

FK-512
Fax kit

LK-107
Unicode fonts

FS-P02
Staple finisher

MK-P03
Mount kit

LK-108
OCR A and B fonts

KP-P01
10-key pad

LK-111
ThinPrint client

ID card reader
for various ID card
technologies

USB adapter
for card reader

PF-P11
250-sheet tray*

PF-P12
550-sheet tray*

* Please note:
up to 3 PF-P11 or
PF-P12 trays can be
combined with
each other

SCD-4000e
Simple copier desk

Beneficial for the environment – and your bottom line

The ineo 4750 is not only good for your green con-science, it will also save you money, e.g. by reducing your electricity bill. That is made possible by the system's low average weekly power consumption, which is particularly striking in sleep mode. Add to this the deployment of eco-friendly materials in the construction of the ineo 4750 and it is clear why this device has received the environmental stamp of approval from the Energy Star and Blue Angel certi-fication bodies.

ineo 4750

General data

Type of machine
Console System (scanner integrated)

Printing and copying speed
> A4
Up to 47 ppm

Print system
Laser

Gradation
256

Paper feeder
> Standard: 650 sheets, max. 2,300 sheets
> 1 x 550-sheet cassette (A6–A4, 60–120 g/m ²)
> 100-sheet bypass (A6–A4, 60–163 g/m ²) for
   standard paper, envelopes, OHP, thick paper
> Duplex unit (A4, 60–90 g/m ²)

Paper format
Max. 216 x 356 mm

Printable area
206 x 346 mm

Dimensions (w x h x d)
489 x 561 x 482 mm (without options)

Weight
Approx. 24 kg (without options)

Power
220–240 V / 50/60 Hz

Printer specifications

Controller
Embedded 800 MHz controller

Memory
Controller uses system memory (2 GB),
320 GB HDD standard

Resolution
Max. 1,200 x 1,200 dpi

Network protocols
TCP/IP (IPv4 / IPv6), SNMP, HTTP, IPP, IFAX

Emulation
PCL5/6, PostScript 3, XPS, PDF 1.7

Interfaces
10Base-T/100Base-TX/1000Base-T, USB 1.1, USB 2.0

Driver
Windows Vista (32/64)
Windows 7 (32/64)
Windows 8 (32/64)
Windows Server 2003 (32/64)
Windows Server 2008 (32/64)
Windows Server 2008 R2 (64)
Windows Server 2012 (64)
Windows Server 2012 R2 (64)
Macintosh OS X Ver. 10.2.8 or later
Linux

Print functions
Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted
PDF files and OOXML (DOCX, XLSX, PPTX), secure
print, watermark, proof print

Scan specifications

Type of scanning
Scan to E-mail/FTP/SMB/USB/HDD/WebDAV,
Network TWAIN scan, WSD Scan

Resolution
Max. 600 x 600 dpi

Scanning speed
Max. 45/30 ipm (colour/monochrome)

Size of originals
Max. A4

Scanning formats
TIFF, PDF, CompactPDF, JPEG, XPS, PDF/A

Scan adresses
Max. 2,100 (single + group)

Copy specifications

Document feeder
> Duplex document feeder
> 50 sheets (max. 120 g/m²)
> max. 216 x 356 mm

Copy pre-selection
1–999

Zoom
25–400 % in 0.1 % steps

First A4 copy
8.5 seconds

Memory
2 GB RAM

HDD
320 GB standard

Resolution
max. 600 x 600 dpi

Copier functions
Adjustments (contrast, sharpness, image
density), proof copy, ID card copy, sort/group,
original selection, 2-in-1, 4-in-1

Fax specifications (optional)

Compatibility
G3/Super G3; MH, MR, MMR, JBIG; iFax

Transfer rate/transfer speed
33.6kbps; approx. 3 sec. (A4, V.34, JBIG)

Fax memory
Shared with the copier

Fax functions
Polling, time shift, PC-Fax, up to 400 job
programs, receipt to confidential folder

Options

> Inner finisher with stapling capacity for up
   to 20 sheets per set (+ replacement staples)
> Paper feed cabinet (3 x 250/550 sheets,
   all combinations possible)
> 10-key pad for use instead of touchscreen
> Fax functionality
> Installation kit for fax functionality
> ID card reader
> Copier desk
> Barcode fonts printing (i-Option)
> Unicode fonts printing (i-Option)
> OCR A and B fonts printing (i-Option)
> ThinPrint connectivity (i-Option)
> Wireless LAN
> Interface cable for CSRC modem
> USB adapter for card reader

Software solutions

> store +find (optional)
> convert +share (optional)
> Data Administrator
> Enterprise Device Manager
> Enterprise Account Manager (optional)
> Enterprise Authentication Manager (optional)
> WebConnection
> ineo Remote Care (optional)

DEVELOP

HiCOPY SZCZECIN

Dział sprzedaży:
tel.: +48 (91) 424 15 44, +48 602 668 458
fax: +48 (91) 312 24 70
email: handel@developszczecin.pl